

RELIANCE CALF FINISHER 16%



RELIANCE CALF FINISHER 16% is designed for young calves.

RELIANCE CALF FINISHER 16% CONTAINS:

- Quality ingredients in a pellet form for increased utilisation and reduced wastage
- Highly digestible ingredients to stimulate rumen development
- The coccidiostat Bovatec® to aid in the prevention of coccidiosis
- Molasses and flavouring for increased palatability
- Essential vitamins including a range of B vitamins and minerals which can be low in cow's milk and pasture.

FEEDING RECOMMENDATIONS

Transition from RELIANCE CALF GROWER 20% to RELIANCE CALF FINISHER 16% at 8 - 9 weeks of age. Offer fresh daily and clean out troughs regularly.

At weaning off milk, daily feed intake should be between 1 to 1.5kg/day depending on the size and breed.

Keep feeding pellets for a minimum 4 weeks post weaning or until a live weight of 100kg to 120kg has been achieved.

Provide RELIANCE CALF FINISHER 16% along with whole milk or calf milk replacer and long forage such as grass or hay.

Ensure calves have access to reachable clean drinking water at all times.

Do not feed to any animal other than those stipulated in the label without consulting a nutritionist.

Please ensure product is stored in a cool, dry and vermin free environment.

INGREDIENTS SELECTED FROM

Barley, wheat, triticale, maize grain and grain by-products, peas, beans, soyabean meal, oilseed meals, molasses, vegetable oils, major minerals, trace minerals, vitamins A, D and E, range of B vitamins including Biotin, coccidiostat (Bovatec® 20 CC), mould inhibitor, flavour.

RELIANCE CALF FINISHER 16% does not contain palm kernel meal.

Additional copper or selenium should only be given following consultation with a nutritionist or veterinarian.

TYPICAL ANALYSIS (APPROXIMATE ON A DRY MATTER BASIS)

Protein	16%
Moisture	13%
Fat	< 3%

You can rely on Reliance

RELIANCE
FEEDS

COCCIDIOSTAT

WARNING STATEMENTS

READ LABEL BEFORE USE

FOR ANIMAL TREATMENT ONLY

KEEP OUT OF THE REACH OF CHILDREN

Reliance Calf Finisher 16% calf feed with 500g/tonne Bovatec® 20CC.

CONTAINS Bovatec® 20CC which is registered pursuant to the ACVM Act 1997, No. A009679. See www.foodsafety.govt.nz for registration conditions.

INDICATIONS Contains 100mg/kg of lasalocid sodium as 500g/tonne Bovatec® 20CC as an aid in the control of coccidiosis caused by Eimeria species in cattle.

Feed 0.5kg of Reliance Calf Finisher 16% per 50kg calf to provide 1mg of lasalocid per kg of body weight.

Ensure young animals have access to Reliance Calf Finisher 16% at least 2-3 weeks prior to weaning as coccidial challenge is most likely to occur in the first eight weeks after weaning.

DIRECTIONS FOR USE This product must not be used for growth promotion in ruminants intended for human consumption. By law the user must take due care, obtaining expert advice if necessary, to avoid unnecessary pain and distress when using the product other than as directed on the label.

DOSE RATE For coccidiosis control, minimum dose rate of 5mg Bovatec®/kg live weight (1mg lasalocid sodium/kg live weight) is required per day. Up to twice this dose rate is indicated where severe coccidial challenge is expected or a wide range of individual live weights occur within a group.

CAUTION Do not allow dogs, horses (or other equids), alpacas (or other camelids) access to feeds containing Bovatec®, as ingestion by these species may be fatal.

Do not feed to deer, milking goats, sheep, laying poultry and other non-ruminant animals.

CONTRAINDICATIONS

- Care must be exercised when feeding concurrently with other antimicrobials.
- Do not feed with other ionophores, e.g. monensin capsules, liquid or premix.
- Do not exceed the recommended dose rates.
- Do not feed more than a total of 400mg lasalocid sodium/head/day to lactating cattle.
- Not to be used for single-dose treatment.
- Disposal: avoid contamination of any water supply with this feed or its empty bag.

WITHHOLDING PERIOD It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Cattle

Meat: Nil

Milk: Cattle Nil

Not to be used for bobby calves

MANUFACTURED FOR AND DISTRIBUTED BY:

Farmlands Nutrition

Private Bag 1968, Dunedin 9054, New Zealand.